



Schedule 40 Pipe Bollard Caps 4" Diameter



Technical Data:

- 1) Meets ASTM C494 compressive strength testing for 5000 psi concrete
- 2) Meets ASTM C666 Freeze Thaw Resistance testing
- 3) Insert pull out strength of 5200 lbs
- 4) ACI Class A finish criteria

Notes:

- Embedment details are for reference illustration only. Minimum foundation sizes depend on local soil conditions, weather conditions, and engineering requirements.
- Pipe cap is provided as shown, with material detailed in legend below. Steel pipe bollards, concrete, foundation and/or installation ordered separately or provided by others.
- This drawing is not drawn to scale. Dimensions provided herein is for reference only. Please consult Reliance Foundry sales professionals if any dimension is critical to your particular installation.
- Reliance Foundry reserves the right to amend design and specifications without prior notice for product improvement.

PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	Pipe Cap R-1008-04	Concrete Pipe Cap	Concrete	1 lb
2	1	Anchor Rod	3/8" Anchor Rod	Steel	



Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada
 1-888-735-5680 info@reliance-foundry.com
<http://www.reliance-foundry.com>

TITLE			
Pipe Cap for 4" Bollards			
SIZE	DWG NO	REV	
C	R-1008-04	-	