





Bollard R-7567



SECTION A-A



General Description:

The R-7567 planter bollard adds a touch of nature to any space while maintaining the functional element a standard bollard provides. Made from ductile iron, the 12-liter planter top can accommodate a wide variety of plants.

Specifications:

Height: 37 1/2"
Planter Volume: 12 Liter
Planter Diameter at Opening: 14 3/8"
Base Diameter: 15"
Weight: 127 lbs (Bollard Only)
Material: Iron

Finish Options:

- IronArmor
- Reliance+

See Reliance Foundry's standard color options at:
www.reliance-foundry.com/bollard/colors-bollards

Installation Options

- Removable - Anchor Casting in New Concrete (see sheet 2 of 4)
- Removable - Concrete Insert Anchor in Existing Concrete (see sheet 3 of 4)
- Removable - Premium Retractable in New Concrete (see sheet 4 of 4)

For more information on bollard post installation, please visit:
www.reliance-foundry.com/bollard/installation-bollards

Care and Maintenance:

Reliance's line of bollards are finished with a long-lasting powder-coating. Proper care and maintenance are required. Regularly-performed inspections and routine cleaning will ensure that a bollard retains its aesthetic appeal and does not become damaged by the elements.

See Reliance Foundry's maintenance guide at:
www.reliance-foundry.com/bollard/maintenance-bollards

RELIANCE FOUNDRY
— SINCE 1925 —

Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada
1-877-789-3245 info@reliance-foundry.com
www.reliance-foundry.com

TITLE

Bollard R-7567

SIZE

C

DWG NO

R7567


REV

A05

NOT TO SCALE

SHEET 1 OF 4

Bollard R-7567



General Description:

The R-7567 planter bollard adds a touch of nature to any space while maintaining the functional element a standard bollard provides. Made from ductile iron, the 12-liter planter top can accommodate a wide variety of plants.

Specifications:

Height: 37 1/2"
Planter Volume: 12 Liter
Planter Diameter at Opening: 14 3/8"
Base Diameter: 15"
Weight: 127 lbs (Bollard Only)
Material: Iron

Finish Options:

- IronArmor
- Reliance+

See Reliance Foundry's standard color options at:
www.reliance-foundry.com/bollard/colors-bollards

Installation Options

- Removable - Anchor Casting in New Concrete (see sheet 2 of 4)
- Removable - Concrete Insert Anchor in Existing Concrete (see sheet 3 of 4)
- Removable - Premium Retractable in New Concrete (see sheet 4 of 4)

For more information on bollard post installation, please visit:
www.reliance-foundry.com/bollard/installation-bollards

Care and Maintenance:

Reliance's line of bollards are finished with a long-lasting powder-coating. Proper care and maintenance are required. Regularly-performed inspections and routine cleaning will ensure that a bollard retains its aesthetic appeal and does not become damaged by the elements.

See Reliance Foundry's maintenance guide at:
www.reliance-foundry.com/bollard/maintenance-bollards

PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	R7567B	R7567 Base	Ductile Iron Powder Coated	100 lbs
2	1	R7567P	R7567 Planter	Cast Iron Powder Coated	27 lbs
3	1	P1 Gasket	R7567 Gasket	Neoprene Rubber	
4	1	R7500AN 1"	R7500 Anchor Casting 1"	Ductile Iron Hot Dip Galvanized	8 3/8 lbs
5	1	R7500RM 1"	R7500 Removable Mount 1"	Steel Hot Dip Galvanized	4 5/8 lbs
6	1	Washer 1" OD 2"	Washer 1" OD 2" Thick 1/8"	Steel Plated	1/8 lbs
7	1	Hex Bolt 1" x 1 1/2"	Hex Bolt 1" x 1 1/2" - requires 1 1/2" wrench	Steel Plated	5/8 lbs
8	3	Hexagon Socket Set Screw 3/8" x 3/4"	Hexagon Socket Set Screw 3/8" x 3/4" - requires 3/16" hex key	Stainless Steel	
9	3	Polyethylene Plug 3/8"	Polyethylene Plug 3/8"	LDPE Black	
10	1	R7500 Lock Pin 3/4" x 10"	R7500 Lock Pin 3/4" x 10"	Steel Powder Coated	1 1/2 lbs
11	1	Padlock (Optional)	Optional Padlock (Brass or Stainless Steel)	Choice of Brass or Stainless Steel	5/8 lbs



RELIANCE FOUNDRY
— SINCE 1925 —

Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada
1-877-789-3245 info@reliance-foundry.com
www.reliance-foundry.com

Bollard R-7567

SIZE	DWG NO	REV
C	R7567	A05

Bollard R-7567



General Description:

The R-7567 planter bollard adds a touch of nature to any space while maintaining the functional element a standard bollard provides. Made from ductile iron, the 12-liter planter top can accommodate a wide variety of plants.

Specifications:

Height: 37 1/2"
Planter Volume: 12 Liter
Planter Diameter at Opening: 14 3/8"
Base Diameter: 15"
Weight: 127 lbs (Bollard Only)
Material: Iron

Finish Options:

- ⊙ IronArmor
- ⊙ Reliance+

See Reliance Foundry's standard color options at:
www.reliance-foundry.com/bollard/colors-bollards

Installation Options

- ⊙ Removable - Anchor Casting in New Concrete (see sheet 2 of 4)
- Removable - Concrete Insert Anchor in Existing Concrete (see sheet 3 of 4)
- Removable - Premium Retractable in New Concrete (see sheet 4 of 4)

For more information on bollard post installation, please visit:
www.reliance-foundry.com/bollard/installation-bollards

Care and Maintenance:

Reliance's line of bollards are finished with a long-lasting powder-coating. Proper care and maintenance are required. Regularly-performed inspections and routine cleaning will ensure that a bollard retains its aesthetic appeal and does not become damaged by the elements.

See Reliance Foundry's maintenance guide at:
www.reliance-foundry.com/bollard/maintenance-bollards

- Notes:
- Embedment details are for reference illustration only. Minimum foundation sizes depend on local soil conditions, weather conditions, and engineering requirements.
 - Bollard is provided as shown, with parts listed below. Concrete foundation and/or installation not provided by Reliance Foundry.
 - This drawing is not drawn to scale. Dimensions provided herein is for reference only. Please consult Reliance Foundry sales professionals if any dimension is critical to your particular installation.
 - Reliance Foundry reserves the right to amend design and specifications without prior notice for product improvement.

PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	R7567B	R7567 Base	Ductile Iron Powder Coated	100 lbs
2	1	R7567P	R7567 Planter	Cast Iron Powder Coated	27 lbs
3	1	P1 Gasket	R7567 Gasket	Neoprene Rubber	
4	1	Drop-in Concrete Insert 3/4"	Drop-in Concrete Insert 3/4" - requires 1" x 3 1/8" hole (dia. x depth)	Steel Plated	1/2 lbs
5	1	R7500RM 1"	R7500 Removable Mount 1"	Steel Hot Dip Galvanized	4 5/8 lbs
6	1	Washer 3/4" OD 2"	Washer 3/4" OD 2" Thick 1/8"	Steel Plated	1/8 lbs
7	1	Hex Bolt 3/4" x 1 1/4"	Hex Bolt 3/4" x 1 1/4" - requires 1 1/8" wrench	Steel Plated	1/4 lbs
8	3	Hexagon Socket Set Screw 3/8" x 3/4"	Hexagon Socket Set Screw 3/8" x 3/4" - requires 3/16" hex key	Stainless Steel	
9	3	Polyethylene Plug 3/8"	Polyethylene Plug 3/8"	LDPE Black	
10	1	R7500 Lock Pin 3/4" x 10"	R7500 Lock Pin 3/4" x 10"	Steel Powder Coated	1 1/2 lbs
11	1	Padlock (Optional)	Optional Padlock (Brass or Stainless Steel)	Choice of Brass or Stainless Steel	5/8 lbs


RELIANCE FOUNDRY
— SINCE 1925 —

Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada
1-877-789-3245 info@reliance-foundry.com
www.reliance-foundry.com

Bollard R-7567

SIZE	DWG NO	REV
C	R7567	A05

Bollard R-7567



General Description:

The R-7567 planter bollard adds a touch of nature to any space while maintaining the functional element a standard bollard provides. Made from ductile iron, the 12-liter planter top can accommodate a wide variety of plants.

Specifications:

Height: 37 1/2"
Planter Volume: 12 Liter
Planter Diameter at Opening: 14 3/8"
Base Diameter: 15"
Weight: 127 lbs (Bollard Only)
Material: Iron

Finish Options:

- IronArmor
- Reliance+

See Reliance Foundry's standard color options at:
www.reliance-foundry.com/bollard/colors-bollards

Installation Options

- Removable - Anchor Casting in New Concrete (see sheet 2 of 4)
- Removable - Concrete Insert Anchor in Existing Concrete (see sheet 3 of 4)
- Removable - Premium Retractable in New Concrete (see sheet 4 of 4)

For more information on bollard post installation, please visit:
www.reliance-foundry.com/bollard/installation-bollards

Care and Maintenance:

Reliance's line of bollards are finished with a long-lasting powder-coating. Proper care and maintenance are required. Regularly-performed inspections and routine cleaning will ensure that a bollard retains its aesthetic appeal and does not become damaged by the elements.

See Reliance Foundry's maintenance guide at:
www.reliance-foundry.com/bollard/maintenance-bollards

RELIANCE FOUNDRY
— SINCE 1925 —

Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada
1-877-789-3245 info@reliance-foundry.com
www.reliance-foundry.com

Bollard R-7567

PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	R7567B	R7567 Base	Ductile Iron Powder Coated	100 lbs
2	1	R7567P	R7567 Planter	Cast Iron Powder Coated	27 lbs
3	1	P1 Gasket	R7567 Gasket	Neoprene Rubber	
4	1	R7000	R7000 Retractable Removable Mount w/ Spacer L	Steel Hot Dip Galvanized	17 1/2 lbs
5	3	Hexagon Socket Set Screw 3/8" x 3/4"	Hexagon Socket Set Screw 3/8" x 3/4" - requires 3/16" hex key	Stainless Steel	
6	3	Polyethylene Plug 3/8"	Polyethylene Plug 3/8"	LDPE Black	
7	1	R7500 Lock Pin 3/4" x 10"	R7500 Lock Pin 3/4" x 10"	Steel Powder Coated	1 1/2 lbs
8	1	Padlock (Optional)	Optional Padlock (Brass or Stainless Steel)	Choice of Brass or Stainless Steel	5/8 lbs

COPYRIGHT RESERVED THIS PLAN DRAWING AND DESIGN ARE, AND AT ALL TIMES REMAIN, THE EXCLUSIVE PROPERTY OF RELIANCE FOUNDRY CO. LTD.

NOT TO SCALE SHEET 4 OF 4